

MECANOJET COMPACT

SPRAY PARTS WASHER IN BATCH

COMPACT | EASY MAINTENANCE | ERGONOMIC





EFFICIENT AND ERGONOMIC

UNDER 2,5M² FLOOR SPACE

One piece design for an easy integration into the production cell.

4 TO 6 LOADS PER HOUR

Efficient degreasing with a full drum rotation or oscillation at a set angle for sensitive parts.

INTUITIVE HUMAN-MACHINE INTERFACE


Simple settings of the cycle time on its touch-screen.

OPTIMAL MAINTAINABILITY

Large access to the maintenance with roller shutter at the backside.

SPECIFICATIONS

Internal basket dimension LxW	mm	480 x 280
External basket dimension LxWxH	mm	520 x 320 x 200
Maximum load	kg	30
Drum rotation	turns/min	5
Tanks capacity	liters	2 x 200
Operating temperature	°C	55/70
Average cycle time	min	15/25
Length with open door	mm	2670
Pump pressure	bars	4
Pump flow	l/min	300
Heating tanks power	kW	2 x 12








ADAPTABLE CONFIGURATION

To answer each cleaning needs, MecanoJET Compact offers many adjustable possibilities and configuration choices:

- Customizable baskets and fixture
- Specific drum adaptation
- Manual tilt or automatic vertical door
- Table or conveyers

COMMON APPLICATIONS

- Cleaning cutting tools
- Degreasing complex parts on a fixture
- Cleaning small tidy parts
- Interoperation or final degreasing







WASHTECH S.A. DE C.V.

Carretera estatal 431, KM 1300 Bodega 17 SUR 76246 La Peña Colorada, Querétaro, MEXICO

+52 442 221 5031 / +52 442 221 5232 info@washtech.com.mx

washtech.com.mx



